




EXHIBIT 63






































































You can now give trusted profiles service level access to your clusters, then use a federated ID, like App ID, to access the cluster at the level assigned in the trusted profile since trusted

profile identities are now synced into the cluster RBAC. For more information, see Creating

With the release of IBM Cloud Kubernetes Version 1.28, GPU drivers moved to the 500 series version for all GPU worker node flavors. To use the 500 series GPU drivers, ensure that a GPU

Logging and monitoring


(2 View as PDF

trusted profiles and Logging in with a federated ID.


New! Updated GPU drivers with version 1.28 clusters.

C



























Document title: Release notes | IBM Cloud Docs

Capture URL: https://cloud.ibm.com/docs/containers?topic=containers-containers-relnotes#containers-01april25

Capture timestamp (UTC): Thu, 22 May 2025 21:07:29 GMT













Capture timestamp (UTC): Thu, 22 May 2025 21:07:29 GMT

Sign up












Sign up









Capture timestamp (UTC): Thu, 22 May 2025 21:07:29 GMT

Sign up





Document title: Release notes | IBM Cloud Docs

Capture URL: https://cloud.ibm.com/docs/containers?topic=containers-containers-relnotes#containers-01april25

Capture timestamp (UTC): Thu, 22 May 2025 21:07:29 GMT